

dimple 丁普乐



LET'S ENJOY COOKING

dimple 丁普乐



LET'S ENJOY COOKING

让烹饪成为一种享受

FOSHAN DIMPLE ELECTRIC APPLIANCE CO.,LTD.

ADD: ONE OF THE FIRST FLOOR, SECOND FLOOR, THIRD FLOOR, FIFTH FLOOR,  
NO.1 YIHENG ROAD, CHANGBAO EAST ROAD, HUAKOU, RONGGUI,  
SHUNDE FOSHAN CITY, GUANGDONG PROVINCE, CHINA.


TEL: +86-757-29212488/29212482

FAX: +86-757-29212487

[www.cndimple.com](http://www.cndimple.com)

# COOKER HOOD





# GIVE HOME A DEEP BREATH

This powerful, advanced Hood Motor ensures that your kitchen remains free from unwanted fumes and cooking smells. It clears the air quickly and efficiently.



Keep your kitchen always Clean. It has touchless control with gesture sensor. Wipe easily for anytime cleaning.



We design this angle to maximize the smoke collection area, especially to match the stove with a large width.



## Model 108A

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 75cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 2 X 1.5w Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 75cm: 845x505x580mm


### Container (20GP/40HQ)

- 75cm: 104pcs/288pcs





# POWERFUL SUCTION



## COOKER HOOD



### Model 108S

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

#### Construction & Performance

- Extraction Rate: 1000 m<sup>3</sup>/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

#### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 1x3W LED Display
- 150mm Outlet Diameter

#### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

#### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

#### Packing Dimensions (WxDxH)

- 60cm: 655x650x580mm
- 90cm: 955x650x580mm

#### Container (20GP/40HQ)

- 60cm: 110pcs/270pcs
- 90cm: 75pcs/180pcs





## Model 108F

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 1x3W LED Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 655x650x580mm
- 75cm: 805x650x580mm
- 90cm: 955x650x580mm

### Container (20GP/40HQ)

- 60cm: 110pcs/270pcs
- 75cm: 90pcs/220pcs
- 90cm: 75pcs/180pcs



## Model 108B

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 1x3W LED Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 655x650x580mm
- 75cm: 805x650x580mm
- 90cm: 955x650x580mm

### Container (20GP/40HQ)

- 60cm: 110pcs/270pcs
- 75cm: 90pcs/220pcs
- 90cm: 75pcs/180pcs







## Model 108XK

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 200W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 2 x 1.5W LED Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional



- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 258 pcs/540pcs
- 90cm: 180 pcs/360pcs



## Model 108XN

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 200W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 2 X 1.5w Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 210pcs/520pcs
- 90cm: 145pcs/350pcs



## Model 108XL

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 200W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Inverted Trapezoidal Air Inlet
- Easy Clean Flat Surface and Filter
- 2 X 1.5w Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 90cm: 180pcs/360pcs





## Model 108QA

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Air Extracted Closer and Space-saving
- Easy Clean Flat Surface and Filter
- 2 X 1.5w Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 660×295×600mm
- 90cm: 960×295×600mm

### Container (20GP/40HQ)

- 60cm: 222pcs/593pcs
- 90cm: 160pcs/400pcs



# COOKER HOOD

## Model 108KA

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm



### Construction & Performance

- Extraction Rate: 1100 m³/h
- Motor Power: AC/BLDC 270W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Rounded Rectangle Sharped Air Inlet
- Easy Clean Flat Surface and Filter
- 2 X 1.5w Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)


- 60cm: 640×440×545mm
- 90cm: 940×440×545mm

### Container (20GP/40HQ)

- 60cm: 180pcs/447pcs
- 90cm: 128pcs/307pcs







## Model 108E White

Inclined Wall Mounted Hoods  
White Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

### Construction & Performance

- Extraction Rate: 850m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Curve Black Glass Surface
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface
- 1 x 3W LED Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- 9 Speed EC Brushless Motor
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 90cm: 180pcs/360pcs



## Model 108E Black

Inclined Wall Mounted Hoods  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 90cm

### Construction & Performance

- Extraction Rate: 850m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Curve Black Glass Surface
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface
- 1 x 3W LED Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 90cm: 180pcs/360pcs







## Model 106F

Split Lifting Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design for Large Suction Area
- Slim Body Design for More Space

### Use & Maintenance

- Range Hood with Shelf
- 2 X 1.5w Led Display
- 150mm Outlet Diameter
- Split Lifting Design, Brings Costumers with Different Using Experience.
- Glass Panel Design for Easy Cleaning

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 90cm: 555x465x360mm/955x460x285mm

### Container (20GP/40HQ)

- 90cm: 128pcs/307pcs



## Model 106FA

Split Lifting Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design for Large Suction Area
- Slim Body Design for More Space

### Use & Maintenance

- Range Hood with Shelf
- 2 X 1.5w Led Display
- 150mm Outlet Diameter
- Split Lifting Design, Brings Costumers with Different Using Experience.
- Glass Panel Design for Easy Cleaning

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 90cm: 555x465x360mm/955x460x285mm

### Container (20GP/40HQ)

- 90cm: 128pcs/307pcs





## Model 106D

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 75cm / 90cm

### Construction & Performance

- Extraction Rate: 1000 m<sup>3</sup>/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 2 X 1.5w Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 655x650x580mm
- 75cm: 805x650x580mm
- 90cm: 955x650x580mm

### Container (20GP/40HQ)


- 60cm: 110pcs/270pcs
- 75cm: 90pcs/220pcs
- 90cm: 75pcs/180pcs



# POWERFUL SUCTION







## Model 106G

Under Cabinet Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filter Free Design with a Inclined Smooth Tempered Glass

### Use & Maintenance

- Inclined Air Intake Provides Better Suction Performance
- 2 X 1.5W Led Display
- 150mm Outlet Diameter
- Dirty-resistant and Easy to Remove Greasy

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 675×625×425mm
- 75cm: 825×625×425mm
- 90cm: 925×625×425mm

### Container (20GP/40HQ)

- 60cm: 380pcs
- 75cm: 310pcs
- 90cm: 260pcs



## Model 106E

Under Cabinet Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filter Free Design with a Inclined Smooth Tempered Glass

### Use & Maintenance

- Inclined Air Intake Provides Better Suction Performance
- 2 X 1.5W Led Display
- 150mm Outlet Diameter
- Dirty-resistant and Easy to Remove Greasy

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 675×625×425mm
- 75cm: 825×625×425mm
- 90cm: 975×625×425mm

### Container (20GP/40HQ)

- 60cm: 380pcs
- 75cm: 310pcs
- 90cm: 260pcs



## Model 106H

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 1 x3W LED Display
- 150mm Outlet Diamete

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650×465×435mm
- 75cm: 800×465×435mm
- 90cm: 950×465×435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 75cm: 210pcs/432pcs
- 90cm: 180pcs/360pcs



## Model 106J

Inclined Wall Mounted Hoods  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 1x3W LED Display
- 150mm Outlet Diamete

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650×465×435mm
- 75cm: 800×465×435mm
- 90cm: 950×465×435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 75cm: 210pcs/432pcs
- 90cm: 180pcs/360pcs







## Model 106B

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 75cm/90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design with Large Suction Area

### Use & Maintenance

- Inclined Air Intake Provides Better Suction Performance
- 2 X 1.5W Led Display
- 150mm Outlet Diameter
- Easy Clean Flat Surface and Filter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 75cm: 810×430×825mm
- 90cm: 960×430×825mm

### Container (20GP/40HQ)

- 75cm: 295pcs/230pcs
- 90cm: 78pcs/195pcs



## Model 106A

Under Cabinet Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 90cm

### Construction & Performance

- Extraction Rate: 1100 m³/h
- Motor Power: AC/BLDC 270W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Baffle Filter Design

### Use & Maintenance

- Inclined Air Intake Provides Better Suction Performance
- 2 X 1.5W Led Display
- 150mm Outlet Diameter
- Easy Clean Flat Surface and Filter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 90cm: 950×645×570mm

### Container (20GP/40HQ)


- 90cm: 80pcs/168pcs





## Model 104J

Inclined Wall Mounted Hoods  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 75cm / 90cm



### Construction & Performance

- Extraction Rate: 850m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 1 x 3W LED Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 650x465x435mm
- 75cm: 800x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 75cm: 210pcs/432pcs
- 90cm: 180pcs/360pcs



## Model 104K

Vertical Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 75cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 2 X 1.5W Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)


- 75cm: 810x370x505mm

### Container (20GP/40HQ)

- 75cm: 180pcs/440pcs







## Model 103I

Curve Glass Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm/ 75cm / 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 180W
- Noise Level: Less than 65dB
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Easy Accessible Filter by Spring Mechanism
- Stainless Steel Oil Collector

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm


### Packing Dimensions (WxDxH)

- 60cm: 655×565×510mm
- 75cm: 805×560×505mm
- 90cm: 915×580×505mm

### Container (20GP/40HQ)

- 60cm: 145pcs/360pcs
- 75cm: 120pcs/290pcs
- 90cm: 105pcs/260pcs

dimple 丁普乐



## Model 103X

Curve Glass Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm /75cm/ 90cm

### Construction & Performance

- Extraction Rate: 750 m³/h
- Motor Power: AC/BLDC 130W
- Noise Level: Less than 65dB
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Stainless Steel Oil Collector

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 645×500×470mm
- 75cm: 925×520×470mm
- 90cm: 925×520×470mm

### Container (20GP/40HQ)

- 60cm: 190pcs/430pcs
- 75cm: 120pcs/298pcs
- 90cm: 120pcs/298pcs



## Model 103U

Curve Glass Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 90cm

### Construction & Performance

- Extraction Rate: 750 m³/h
- Motor Power: AC/DCBL 130W
- Noise Level: Less than 65dB
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Stainless Steel Oil Collector

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 645×500×470mm
- 90cm: 925×520×470mm

### Container (20GP/40HQ)

- 60cm: 190pcs/430pcs
- 90cm: 120pcs/298pcs



## Model 103L

Curve Glass Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 90cm

### Construction & Performance

- Extraction Rate: 750 m³/h
- Motor Power: AC 190W
- Noise Level: Less than 65dB
- Plastic Blower and Plastic Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- Duct Cover Height: 500/500+500mm

### Packing Dimensions (WxDxH)

- 60cm: 635×405×545mm
- 90cm: 955×460×573mm

### Container (20GP/40HQ)

- 60cm: 200pcs/485pcs
- 90cm: 110pcs/270pcs



## Model 102G

T-Shape Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 90cm

### Construction & Performance

- Extraction Rate: 1000 m³/h
- Motor Power: AC/BLDC 250W
- Noise Level: Less than 65dB
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Stainless Steel Oil Collector
- Indication Oil Collector Clean
- Dishwasher Safe Filters

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 660x655x490mm
- 90cm: 955x665x525mm

### Container (20GP/40HQ)

- 60cm: 105pcs/260pcs
- 90cm: 80pcs/207pcs



## Model 102A

T-Shape Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 75cm / 90cm

### Construction & Performance

- Extraction Rate: 850m³/h
- Motor Power: AC/BLDC 300W
- Noise Level: Less than 65dB
- Soft Black Glass
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Stainless Steel Oil Collector
- Filterless Design Concept

### Use & Maintenance

- Easy Clean Flat Surface and Filter
- 2 X 1.5W Led Display
- 150mm Outlet Diameter

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)



- 60cm: 650x465x435mm
- 75cm: 800x465x435mm
- 90cm: 950x465x435mm

### Container (20GP/40HQ)

- 60cm: 258pcs/540pcs
- 75cm: 210pcs/432pcs
- 90cm: 180pcs/360pcs







## Model 102EC

T-Shape Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 90cm

### Construction & Performance

- Extraction Rate: 750 m³/h
- Motor Power: AC/BLDC 130W
- Noise Level: Less than 65dB
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Stainless Steel Oil Collector
- Dishwasher Safe Filters

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 645×550×505mm
- 90cm: 945×550×505mm

### Container (20GP/40HQ)

- 60cm: 180pcs/398pcs
- 90cm: 105pcs/250pcs

## Model 102EB

T-Shape Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 180W
- Noise Level: Less than 65dB
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Stainless Steel Oil Collector
- Dishwasher Safe Filters

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional


- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 645×550×505mm
- 90cm: 945×550×505mm

### Container (20GP/40HQ)

- 60cm: 180pcs/398pcs
- 90cm: 105pcs/250pcs



## Model 102EX

T-Shape Cooker Hood  
Black Tempered Glass + Inox Chassis  
Wide: 60cm / 90cm

### Construction & Performance

- Extraction Rate: 850 m³/h
- Motor Power: AC/BLDC 180W
- Noise Level: Less than 65dB
- Front Air Freshener Technology
- Heat Auto Clean Function
- Metal Blower and Metal Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Stainless Steel Oil Collector
- Dishwasher Safe Filters

### Interaction & Control

- Gesture Control Sensor
- Touch Control Panel
- Number of Speed Setting: 3

### Optional

- 9 Speed EC Brushless Motor
- Black Coating Oil Collector
- Duct Cover Height: 450/450+450mm

### Packing Dimensions (WxDxH)

- 60cm: 645×550×505mm
- 90cm: 945×550×505mm

### Container (20GP/40HQ)

- 60cm: 180pcs/398pcs
- 90cm: 105pcs/250pcs



## Model 104E

Slim Cooker Hood  
Inox Chassis  
Wide: 60cm/75cm/90cm

### Construction & Performance

- Extraction Rate: 400 m³/h
- Motor Power: AC 2×80W
- Noise Level: Less than 65dB
- Plastic blower and Plastic Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Dishwasher Safe Filters

### Interaction & Control

- Push Control
- Number of Speed Setting: 3

### Optional

- Black Powder Coating Finish

### Packing Dimensions (W×D×H)

- 60cm: 655×140×550mm
- 75cm: 800×140×550mm
- 90cm: 945×140×550mm

### Container (20GP/40HQ)

- 60cm: 560pcs/1360pcs
- 75cm: 451pcs/1096pcs
- 90cm: 383pcs/931pcs



## Model 104F

Slim Cooker Hood  
Inox Chassis  
Wide: 60cm/75cm/90cm

### Construction & Performance

- Extraction Rate: 400 m³/h
- Motor Power: AC 90W
- Noise Level: Less than 65dB
- Plastic blower and Plastic Housing
- Filterless Design with Large Suction Area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Dishwasher Safe Filters

### Interaction & Control

- Push Control
- Number of Speed Setting: 3

### Optional

- Black Powder coating Finish

### Packing Dimensions (W×D×H)

- 60cm: 645×180×535mm
- 75cm: 745×180×535mm
- 90cm: 945×180×535mm

### Container (20GP/40HQ)

- 60cm: 450pcs/1090pcs
- 75cm: 380pcs/940pcs
- 90cm: 307pcs/747pcs



## Model 101C

Pyramid Shape Cooker Hood  
Inox Chassis  
Wide: 60cm/75cm/90cm

### Construction & Performance

- Extraction Rate: 750 m³/h
- Motor Power: AC 190W
- Noise Level: Less than 65dB
- Plastic blower and Plastic Housing
- Filterless design with large suction area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Easy Accessible Filter by Spring Mechanism

### Interaction & Control

- Push Control
- Number of Speed Setting: 3

### Optional

- Aluminum Filter
- Duct Cover Height: 400/400+400mm

### Packing Dimensions (W×D×H)

- 60cm: 670×300×520mm
- 75cm: 790×350×525mm
- 90cm: 940×325×525mm

### Container (20GP/40HQ)

- 60cm: 299pcs/687pcs
- 75cm: 193pcs/469pcs
- 90cm: 176pcs/425pcs



## Model 101X

Pyramid Shape Cooker Hood  
Inox Chassis  
Wide: 60cm/75cm/90cm

### Construction & Performance

- Extraction Rate: 750 m³/h
- Motor Power: AC 190W
- Noise Level: Less than 65dB
- Plastic blower and Plastic Housing
- Filterless design with large suction area
- Concentrated Extraction Around the Edges

### Use & Maintenance

- Inclined Air Intake Optimizes Suction
- 2 x 1.5W LED Display
- 150mm Outlet Diameter
- Easy Clean Glass Surface
- Easy Accessible Filter by Spring Mechanism

### Interaction & Control

- Push Control
- Number of Speed Setting: 3

### Optional

- Aluminum Filter
- Duct Cover Height: 400/400+400mm

### Packing Dimensions (W×D×H)

- 60cm: 670×300×520mm
- 75cm: 790×350×525mm
- 90cm: 940×325×525mm

### Container (20GP/40HQ)

- 60cm: 299pcs/687pcs
- 75cm: 193pcs/469pcs
- 90cm: 176pcs/425pcs



# GAS HOB







The Power Boost function increases power by up to 50%. This can save up to 35% of the time it takes to heat up pots or cook large quantities of food.



Front controls are easy to reach.



Three types of uniquely beautiful tempered ceramic surface design are extremely heat-resistant, easy to clean and features cast iron pan supports with rubber feet.



## Model 125A86G2

2 Burners Gas Hob  
Black Glass Surface / Black Glass Surface  
Marble Pattern Surface  
76cm Wide  
Full Brass Burner

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Center Zone
  - Power Range: 5200W
  - Power Efficiency: 72%
- Right Center Zone
  - Power Range: 5200W
  - Power Efficiency: 72%

### Use & Flexibility

- Multifunctional Wok Burner
- Easy Clean Smooth Glass Surface
- Precision Engineered Flame Ports

### Interaction & Control

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/ Cast Iron Pan Support

### Packing

- Packing Dimensions: 670x300x520mm
- Container (20GP/40HQ): 450 / 1090 PCS



# GAS HOB



## Model GHG73-21OB

2 Burners Gas Hob  
Black Glass Surface  
730mm Wide  
Full Brass Burnner  
4.2kw Power Boost Series

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Center Zone
  - Power Range: 4200W
  - Power Efficiency: 64%
- Right Center Zone
  - Power Range: 4200W
  - Power Efficiency: 64%

### Use & Flexibility

- Multifunctional Wok Burner
- Easy Clean Smooth Glass Surface
- Precision Engineered Flame Ports

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
790×460×200mm
- Container (20GP/40HQ):  
380 / 930 PCS



## Model GHG73-21OB1

2 Burners Gas Hob  
Black Glass Surface  
730mm Wide  
Full Brass Burnner  
4.2kw Power Boost Series

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Center Zone
  - Power Range: 4200W
  - Power Efficiency: 64%
- Right Center Zone
  - Power Range: 4200W
  - Power Efficiency: 64%

### Use & Flexibility

- Multifunctional Wok Burner
- Easy Clean Smooth Glass Surface
- Precision Engineered Flame Ports

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
790×460×200mm
- Container (20GP/40HQ):  
380 / 930 PCS



## Model GHG76-211C

2 Burners Gas Hob  
Black Glass Surface  
760mm Wide  
Full Brass Burnner  
4.5kw Power Boost Series

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Center Zone
  - Power Range: 4200W
  - Power Efficiency: 64%
- Right Center Zone
  - Power Range: 4200W
  - Power Efficiency: 64%

### Use & Flexibility

- Multifunctional Wok Burner
- Easy Clean Smooth Glass Surface
- Precision Engineered Flame Ports

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×505×235mm
- Container (20GP/40HQ):  
270 / 670 PCS



## Model GHG76-311BH

3 Burners Gas Hob  
Black Glass Surface  
760mm Wide  
Full Brass Burner  
4.2kw Power Boost Series

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Center Zone  
Power Range: 4200W  
Power Efficiency: 64%
- Middle Center Zone  
Power Range: 1500W  
Power Efficiency: 64%
- Right Center Zone  
Power Range: 4200W  
Power Efficiency: 64%

### Use & Flexibility

- Multifunctional Wok Burner
- Easy Clean Smooth Glass Surface
- Precision Engineered Flame Ports

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×505×235mm
- Container (20GP/40HQ):  
270 / 670 PCS



## Model GHG76-311CH

3 Burners Gas Hob  
Black Glass Surface  
760mm Wide  
Full Brass Burnner  
4.5kw Power Boost Series

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Center Zone  
Power Range: 4500W  
Power Efficiency: 64%
- Middle Center Zone  
Power Range: 1500W  
Power Efficiency: 64%
- Right Center Zone  
Power Range: 4500W  
Power Efficiency: 64%

### Use & Flexibility

- Multifunctional Wok Burner
- Easy Clean Smooth Glass Surface
- Precision Engineered Flame Ports

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×505×235mm
- Container (20GP/40HQ):  
270 / 670 PCS





## TABLET 65 SERIES



### Model GFG65-3

3 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

#### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Front Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Left Back Zone  
Power Range: 1800W  
Power Efficiency: 64%
- Right Center Zone  
Power Range: 3000W  
Power Efficiency: 64%

#### Interaction & Control

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

#### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

#### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

#### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS



### Model GFG65-4

4 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

#### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Front Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Left Back Zone  
Power Range: 3000W  
Power Efficiency: 64%
- Right Front Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Back Zone  
Power Range: 1800W  
Power Efficiency: 64%

#### Interaction & Control

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

#### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

#### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

#### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS



# TABLET 76 SERIES



## Model GFG76-3

3 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

### Construction & Performance

- Left Center Zone  
Power Range: 3000W  
Power Efficiency: 64%
- Middle Center Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Center Zone  
Power Range: 1800W  
Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob

### Optional

- Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS



## Model GFG76-4

4 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

### Construction & Performance

- Left Front Zone  
Power Range: 3000W  
Power Efficiency: 64%
- Left Back Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Front Zone  
Power Range: 1800W  
Power Efficiency: 64%
- Right Back Zone  
Power Range: 1200W  
Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob

### Optional

- Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS



## Model GFG76-4

4 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

### Construction & Performance

- Left Front Zone  
Power Range: 3000W  
Power Efficiency: 64%
- Left Back Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Front Zone  
Power Range: 1800W  
Power Efficiency: 64%
- Right Back Zone  
Power Range: 1200W  
Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob

### Optional

- Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS

# TABLET 86 SERIES



## Model GFG86-3

3 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

### Construction & Performance

- Left Center Zone  
Power Range: 3000W  
Power Efficiency: 64%
- Middle Center Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Center Zone  
Power Range: 1800W  
Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob

### Optional

- Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS



## Model GFG86-4

4 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
76cm Wide  
Full Brass Burnner

### Construction & Performance

- Left Front Zone  
Power Range: 3000W  
Power Efficiency: 64%
- Left Back Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Front Zone  
Power Range: 1800W  
Power Efficiency: 64%
- Right Back Zone  
Power Range: 1200W  
Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro


- Ergonomic Metal Knobs
- Ignition Integrated in Knob

### Optional

- Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
820×520×170mm
- Container (20GP/40HQ):  
380 / 920 PCS



## Model GFG86-5

5 Burners Gas Hob  
Slim Tablet Design  
Black Glass Surface  
86cm Wide  
Full Brass Burnner

### Construction & Performance

- Left Front Zone  
Power Range: 1800W  
Power Efficiency: 64%
- Left Back Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Right Front Zone  
Power Range: 1800W  
Power Efficiency: 64%
- Right Back Zone  
Power Range: 1200W  
Power Efficiency: 64%
- Center Zone  
Power Range: 3000W  
Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob

### Optional

- Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/  
Cast Iron Pan Support

### Packing

- Packing Dimensions:  
910×520×170mm
- Container (20GP/40HQ):  
350 / 850 PCS



# HOBTOP SERIES



## Model GSG76-51OH3

5 Burners Gas Hob  
Black Glass Surface  
86cm Wide  
Built-in and Hob Top 2 in 1

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Front Zone
  - Power Range: 1800W
  - Power Efficiency: 64%
- Left Back Zone
  - Power Range: 1200W
  - Power Efficiency: 64%
- Right Front Zone
  - Power Range: 1800W
  - Power Efficiency: 64%
- Right Back Zone
  - Power Range: 1200W
  - Power Efficiency: 64%
- Center Zone
  - Power Range: 3000W
  - Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/ Cast Iron Pan Support

### Packing

- Packing Dimensions: 910×520×170mm
- Container (20GP/40HQ): 350 / 850 PCS

# HOBTOP SERIES



## Model GSG76-31OH3

3 Burners Gas Hob  
Black Glass Surface  
76cm Wide  
Built-in and Hob Top 2 in 1

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Zone
  - Power Range: 3000W
  - Power Efficiency: 64%
- Middle Zone
  - Power Range: 1200W
  - Power Efficiency: 64%
- Right Zone
  - Power Range: 1800W
  - Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/ Cast Iron Pan Support

### Packing

- Packing Dimensions: 820×520×170mm
- Container (20GP/40HQ): 380 / 920 PCS



## Model GSG76-41OH3

4 Burners Gas Hob  
Black Glass Surface  
76cm Wide  
Built-in and Hob Top 2 in 1

### Construction & Performance

- Enameled Cast Iron Pan Support
- Left Front Zone
  - Power Range: 3000W
  - Power Efficiency: 64%
- Left Back Zone
  - Power Range: 1200W
  - Power Efficiency: 64%
- Right Front Zone
  - Power Range: 1800W
  - Power Efficiency: 64%
- Right Back Zone
  - Power Range: 1200W
  - Power Efficiency: 64%

### Use & Flexibility

- 360° Rotatable Multi Direction Inlet
- Easy Clean Smooth Glass Surface
- Spill Proof Design

### Interaction & Contro

- Ergonomic Metal Knobs
- Ignition Integrated in Knob
- Stepless Setting

### Optional

- Thermal-electric Flame Failure Protection
- Cooking Time Limiter
- Matte Enamel/ Cast Iron Pan Support

### Packing

- Packing Dimensions: 820×520×170mm
- Container (20GP/40HQ): 380 / 920 PCS

# BURNER FLAME CAP

These Burner Flame Cap Is To Customize The Finished Product. The Different Aesthetic Solutions Are Depending On The Design Of The Cooker Or Hob And On The Relative Market Segment.




# KNOB CONTROL

You simply press the control knob and turn it anticlockwise and the burner will then ignite.



# PAN SUPPORT OPTIONS

## SQUARE SERIES




## ROUND SERIES





# CERAMIC COOKTOP HOB



## CH201A-T30

Ceramic Cooktop Hobs  
Black Glass Surface  
28 cm Wide  
2 Cooking Zone

### Construction & Performance

- Aluminum Frame
- Ceramic Glass Surface
- Center Front Zone  
Power Range: 200-1200W
- Center Back Zone  
Power Range: 200-1800W

### Use & Flexibility

- 13 Power Levels Settings
- Easy Clean Smooth Glass Surface
- Cooking Time Limiter

### Interaction & Contro

- Child Lock Setting

### Packing

- Packing Dimensions:  
620×365×123mm
- Container (20GP/40HQ):  
1000 / 2400 PCS



## CH401A-T60

Ceramic Cooktop Hobs  
Black Glass Surface  
60 cm Wide  
4 Cooking Zone

### Construction & Performance

- Aluminum Frame
- Ceramic Glass Surface
- Left Front Zone  
Power Range: 200-2000W
- Left Back Zone  
Power Range: 200-2000W
- Right Front Zone  
Power Range: 200-2000W
- Right Back Zone  
Power Range: 200-2000W

### Use & Flexibility

- 15 Power Levels Settings
- Easy Clean Smooth Glass Surface
- Cooking Time Limiter


### Interaction & Contro

- Child Lock Setting

### Packing

- Packing Dimensions:  
695×593×140mm
- Container (20GP/40HQ):  
480 / 1100 PCS

# INDUCTION COOKER



## HW-22302B

Induction Cooktop Hob  
Black Glass Surface  
29cm Wide  
2 Induction Cooking Zone

### Construction & Performance

- Front Center Zone
- Power Range: 200-1500W
- Back Center Zone
- Power Range: 200-2000W

### Use & Flexibility


- Automatic Safety Switch Off
- Durable Copper Coil
- Easy Clean Smooth Glass Surface

### Interaction & Contro

- Cooking Time Limiter
- Child Lock Setting
- 15 Power Levels Settings
- One Touch to Highest level

### Packing

- Packing Dimensions:  
590×370×135mm
- Container (20GP/40HQ):  
920 /2200 PCS



## HW-22702B

Induction Cooktop Hob  
Black Glass Surface  
73cm Wide  
2 Induction Cooking Zone

### Construction & Performance

- Left Center Zone
- Power Range: 200 - 2000W
- Right Center Zone
- Power Range: 200 - 1500W

### Use & Flexibility


- Automatic Safety Switch Off
- Durable Copper Coil
- Easy Clean Smooth Glass Surface

### Interaction & Contro

- Cooking Time Limiter
- Child Lock Setting
- 15 Power Levels Settings
- One Touch to Highest level

### Packing

- Packing Dimensions:  
800×500×140mm
- Container (20GP/40HQ):  
500 /1200 PCS



## HW-22702A

Induction Cooktop Hob  
Black Glass Surface  
73cm Wide  
2 Induction Cooking Zone

### Construction & Performance

- Left Center Zone
- Power Range: 200 - 2000W
- Right Center Zone
- Power Range: 200 - 1500W

### Use & Flexibility


- Automatic Safety Switch Off
- Durable Copper Coil
- Easy Clean Smooth Glass Surface

### Interaction & Contro

- Cooking Time Limiter
- Child Lock Setting
- 15 Power Levels Settings
- One Touch to Highest level

### Packing

- Packing Dimensions:  
800×500×140mm
- Container (20GP/40HQ):  
500 /1200 PCS



## TS-IH4DB6O-D25

Induction Cooktop Hob  
Black Glass Surface  
59cm Wide  
4 Cooking Zone

### Construction & Performance

- Left Front Center Zone
- Power Range: 200-1500W
- Left Back Center Zone
- Power Range: 200-2000W
- Right Front Zone
- Power Range: 200-2000W
- Right Back Zone
- Power Range: 200-1500W

### Use & Flexibility

- Automatic Safety Switch Off
- Durable Copper Coil
- Easy Clean Smooth Glass Surface

### Interaction & Contro

- Cooking Time Limiter
- Child Lock Setting
- 15 Power Levels Settings
- One Touch to Highest level

### Packing

- Packing Dimensions:  
590×520×140mm
- Container (20GP/40HQ):  
450 / 1090 PCS





Dimple 普尔

A GIFT  
FOR EVERY  
CULINARY WISH





## Model DK-001

Mini Cooking Center  
Green Inox Chassis + Black Tempered Glass  
Wide: 34cm

### Construction & Performance

- Air Fry Oven Motion and 6 Cooking Programs
- Boiling/Poach/Stew/Steam/Hot-Pot Cooking Function
- Roast/Grill/Broil/Searing Cooking Function
- ClearCook Window
- Classic Mechanical Control Panel
- Cool Touch Handle
- 0-60 mins Timer Control
- 0-210Temperature Control
- Overheat Protection and Auto-off and other Safy Feature
- Internal monitor light
- 2000 Watt Bottom Heating Module and 1500Watt Upper Heating Module
- Accessories include Fry Bastet,Broil Rack,Baking Tray,Hot Pot Cover

### Container Loading(20GP/40HQ)

- 40 HQ capacity: 980 pcs
- 20 FT capacity: 390 pcs



### Technical Data

|                                     |                           |
|-------------------------------------|---------------------------|
| Product Name/family :               | Miminij Cooker Dk-001     |
| Construction Type :                 | Non Built-in              |
| Energy Input :                      | Electricity               |
| Working Motion                      | Air Fry And Flat Duo Work |
| Type Of Control Setting Devices :   | Sword Knobs               |
| Width Of The Appliance :            | 338 Mm                    |
| Dimensions :                        | 357 X 338 X 251 Mm        |
| Dimensions Of The Package (hwxwd) : | 425 X 390 X 340 Mm        |
| Net Weight :                        | 7.37 Kg                   |
| Gross Weight :                      | 8.26 Kg                   |
| Residual Heat Indicator :           | Without                   |
| Location Of Control Panel :         | Cooker Front              |
| Basic Surface Material :            | Stainless Steel           |
| Approval Certificates :             | Ce, Eurasian, Ukraine     |
| Length Of Electrical Supply Cord :  | 100 Cm                    |
| Electrical Connection Rating :      | 3500 W                    |
| Fuse Protection :                   | 3 A                       |
| Voltage :                           | 220-240 V                 |
| Frequency :                         | 50; 60 Hz                 |

### COLOUR OPOTIONS

